

Form PTO 1449  
(Modified)U.S. DEPARTMENT OF COMMERCE  
PATENT AND TRADEMARK OFFICEATTY DOCKET NO.  
245977USSERIAL NO. 10/721498  
NEW APPLICATION

## LIST OF REFERENCES CITED BY APPLICANT

APPLICANT  
Patrick D. MIZEFILING DATE  
HEREWITH

GROUP

1654

## U.S. PATENT DOCUMENTS

EXAMINER INITIAL		DOCUMENT NUMBER	DATE	NAME	CLASS	SUB CLASS	FILING DATE IF APPROPRIATE
EE	AA	4,849,340	07/18/89	OBERHARDT	435	13	
EE	AB	5,110,727	05/05/92	OBERHARDT	435	13	
EE	AC	5,568,723	08/19/97	OBERHARDT	60	203.1	
EE	AD	5,350,676	08/27/94	OBERHARDT, et al.	435	13	
EE	AE	5,601,991	02/11/97	OBERHARDT	435	7.91	
EE	AF	5,670,329	09/23/97	OBERHARDT	435	136	
EE	AG	5,677,133	10/14/97	OBERHARDT	435	7.1	
EE	AH	6,165,795	06/26/00	MIZE, et al.	436	69	
EE	AI	6,197,494	03/06/01	OBERHARDT	435	4	
	AJ						
	AK						
	AL						
	AM						
	AN						

## FOREIGN PATENT DOCUMENTS

		DOCUMENT NUMBER	DATE	COUNTRY	TRANSLATION	
					YES	NO
EE	AO	WO 01/44493 A2	06/21/01	WIPO	Y	
	AP					
	AQ					
	AR					
	AS					
	AT					
	AU					
	AV					

## OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, etc.)

EE	AW	J. Harenberg, et al., Magnetic Bead Protamine-Linked Microtiter Assay for Detection of Heparin using Iodinated Low-Molecular-Mass Heparin-Tyramine, Thrombosis Research, Vol. 79, No. 2, pp. 207-216, 1995.				
	AX					
	AY					
	AZ					

☐ Additional References sheet(s) attached

Examiner

Date Considered 9/04

\*Examiner: Initial if reference is considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.